POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS				
Total 2002 Denutation 41 400	Community Ontions and MA Waiyes	Per 10, 000				
Total 2003 Population 41,480	Community Options and MA Waiver as HSRS reports costs for services	Staffing ETE Number Deputation				
Population per square mile 46	as hisks reports costs for services	Total staff 10.5 2.5 Administrative 1.0 0.2 Public health nurses 5.0 1.2 Other prof. staff 1.0 0.2 Technical /Paraprof. 1.0 0.2 Support staff 2.5 0.6				
County ranking in state (1-72) 38	Clients Costs	Administrative 1.0 0.2				
	COP 13 \$154, 693 MA Wai ver *	Public health nurses 5.0 1.2				
Age Female Male Total	MA Waiver *	Other prof. staff 1.0 0.2				
0-14 3, 940 4, 200 8, 130	CI P1A 8 \$431, 261	Techni cal /Paraprof. 1.0 0.2				
15-19 1, 430 1, 570 2, 980 20-24 1, 110 1, 170 2, 280	CI P1B 90 \$1,660,197	Support Start 2.5 0.6				
20-24 1, 110 1, 170 2, 280 25-29 1, 020 1, 050 2, 070	MA Wai ver * CI P1A 8 \$431, 261 CI P1B 90 \$1, 660, 197 CI P2 7 \$79, 904 COP-W 184 \$1, 267, 785 CSLA 0 \$0	Funding Per capita				
30-34 1, 220 1, 260 2, 480	CSLA 0 \$0	Fundi ng Per capi ta Total \$658, 480 \$15. 88 Local Taxes \$253, 390 \$6. 11				
35-39 1, 430 1, 520 2, 950	CSLA	Local Taxes \$253, 390 \$6.11				
40-44 1, 650 1, 670 3, 320	CSLA 0 \$0 Brain Injury 1 \$37, 289 Total COP/Wvrs 303 \$3, 476, 435					
45-54 2, 770 2, 980 5, 750		LI CENSED ESTABLI SHMENTS				
55-64 2, 350 2, 290 4, 630	\$195, 230 of the above waiver costs	Time Compaits Facilities				
65-74 1, 730 1, 630 3, 360 75-84 1, 450 1, 040 2, 490	were paid as local match/overmatch using COP funds. This amount is	Type Capacity Facilities				
75-64	not included in above COP costs.	Camps 1 175 16				
Total 20, 750 20, 740 41, 480	Hot Ther daed Th above cor costs.	Hotels 814 34				
25,765 25,776	* Wai ver costs reported here	Type Capacity Facilities Bed & Breakfast 13 3 Camps 1,175 16 Hotels, Motels 814 34 Tourist Rooming 167 54 Pools				
Age Female Male Total	include federal funding.	10013				
0-17 4, 790 5, 140 9, 910		Restaurants 280				
18-44 7, 010 7, 300 14, 300	Clients Costs	Vendi ng 5				
45-64 5, 120 5, 270 10, 380 65+ 3, 830 3, 040 6, 870	Eligible and Waiting 62 n/a					
Total 20, 750 20, 740 41, 480	waiting 62 11/a					
20,750 20,740 41,400	(Family Care not provided in county)	WIC PARTICIPANTS				
Poverty Estimates for 2000	( a y can a size processing)					
Estimate (C.I.+/-)		Number				
All ages 3, 226 166 7. 9% (5%) Ages 0-17 1, 112 84 10. 7% (8%)	Note: Eligible and waiting clients	Pregnant/Postpartum 420				
/. 9% (5%)	will be phased into the COP and MA	Infants 433 Children, age 1-4 648 Total 1,501				
1, 112 84 10.7% (.9%)	Waivers as available.	Total 1, 501				
10.7% (8%)		1, 301				
EMPLOYMENT		CANCER INCIDENCE (2002)				
Average wage for jobs covered	Home Health Agencies 1	Primary Site				
by unemployment compensation \$23,984	Patients 288	Breast 34				
(place of work)	Patients per 10,000 pop. 69	Cervi cal 2				
Labor Force Estimates Average	Nursing Homes 5	Colorectal 33 Lung and Bronchus 40				
	Li censed beds 487	Prostate 43				
Civilian Labor Force 23.099	Occupancy rate 82.9%	Other sites 105				
Number employed 21,816	Residents on Dec. 31 406	Total 257				
Civilian Labor Force 23,099 Number employed 21,816 Number unemployed 1,283 Unemployment rate 5.6%	Residents age 65 or older					
Unemployment rate 5.6%	per 1,000 population 55	Note: Totals shown are for				
		i nvasi ve cancers onl y.				

			NATA	ALITY				
TOTAL LIVE BIRTHS		479	Birth Order	Bi rths	Percent	Marital Status of Mother	Bi rths	Percent
Crude Live Birth Rate	9	11. 5	Second Third Fourth or higher Unknown	164	34	Marri ed	339	71
General Fertility Rat	:e	61. 0	Thi rd	82	17	Not married	139	29
			Fourth or higher	63	13	Unknown	1	<. 5
Live births with repo	orted	0 1 70/	Unknown	0	0	Education		
congenital anomalies		8 1.7%				Education of Mother	Bi rths	Percent
Delivery Type	Ri rths	Percent	1st Prenatal Visit			Elementary or le		3
			1st trimester	388	81	Some high school	54	11
previ ous cesarean	9	2	2nd trimester 3rd trimester No visits Unknown	73	15	High school Some college College graduate	173	36
Forceps	0	0	3rd trimester	15	3	Some college	136	28
Other vagi nal	378	79	No visits	3	1	College graduate	98	20
Primary cesarean	47	10	Unknown	0	0	Unknown	2	<. 5
Vagi nal after previ ous cesarean Forceps Other vagi nal Pri mary cesarean Repeat cesarean	45	9				Const.: con Chat		
	Bi rths		Prenatal Visits No visits	BI rtns	Percent 1	Smoking Status of Mother	Bi rths	Percent
<1 500 gm	1	0.2	1-4	18	4	Smoker	76	16
1.500-2.499 gm	24	5.0	5-9	112	23	Nonsmoker	403	84
2,500+ gm	454	94. 8	10-12	219	46	Unknown	0	Ö
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0	13+	127	27			
			Unknown	0	0			
			Low Dirthwoight		Trimoct	er of First Prenata		
			Low Birthweight	1st Tr	i mastar	er Of FITSL Prenata. 2nd Trimostor	1 VISIL Other	/Unknown
Race/Ethnicity	Rirths P	Percent	(undor 2.500  am)	1st Tr Births	rimester Percent	er of FITSt Prenata. 2nd Trimester Births Percent	Other/ Births	'Unknown Percent
Race/Ethni ci ty Whi te	Births P 414	Percent 86	(undor 2.500  am)	1st Tr Births 347	rimester Percent 84	2nd Trimester Births Percent 56 14	Other/ Births 11	'Unknown Percent 3
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can	Births P 414 1	Percent 86 <. 5	(undor 2.500  am)	1st Tr Births 347 *	i mester Percent 84	2nd Trimester Births Percent 56 14	Other/ Births 11	Percent 3
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an	Births P 414 1 41	Percent 86 <.5 9	(undor 2.500  am)	1st Tr Births 347 * 26	i mester Percent 84 63	2nd Trimester Births Percent 56 14  * . 13 32	Other/ Births 11 *	Percent 3 5
Race/Ethnicity White Black/Afr. American American Indian Hispanic/Latino	Births P 414 1 41 17	Percent 86 <.5 9	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8	1st Tr Bi rths 347 * 26 12	imester Percent 84 63 71	2nd Trimester Births Percent 56 14 * 13 32 3 18	Other/ Births 11 * 2	Percent 3
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Himour	Bi rths P 414 1 41 17 2	Percent 86 <.5 9 4 <.5	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8	^	imester Percent 84 63 71	2nd Trimester 2nd Trimester Births Percent 56 14  * . 13 32 3 18  * .	Other/ Births 11 * 2 2	Percent 3 5
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Births P 414 1 41 17 2 4	Percent 86 <.5 9 4 <.5	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8	1st Tr Bi rths 347 * 26 12 *	imester Percent 84 63 71	2nd Trimester Births Percent 56 14 * 13 32 3 18	Other/ Births 11 2 2	Percent 3 5
Race/Ethnicity White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	Births P 414 1 41 17 2 4	Percent 86 <. 5 9 4 <. 5	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8 * .	*	i mester Percent 84 63 71	2nd Trimester Births Percent 56 14  * 13 32 3 18  * * *	0ther/ Bi rths 11 * 2 2 * *	Percent 3 5
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	4  Fe	Percent 86 <.5 9 4 <.5 1	(under 2,500 gm) Births Percent 22 5.3 * . 1 2.4 2 11.8 * . * . * . Low Birthweight (under 2,500 gm)	 1st Tr	ri mester Percent 84 . 63 71	2nd Trimester Births Percent 56 14  * 13 32 3 18  * * * * * * * * * * * * * * * * * *	Other/Births 11 * 2 2 * * * * Usit Other/	Percent 3 5 12
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother	4  Fe Bi rths	1	(under 2,500 gm) Births Percent 22 5.3 * . 1 2.4 2 11.8 * . * .	 1st Tr	i mester Percent 84 63 71	2nd Trimester Births Percent 56 14  * 13 32 3 18  * * * * * * * * * * * * * * * * * *	Other/Births 11 * 2 2 * * * * Usit Other/	Percent 3 5 12
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15	4 Fe Bi rths 0	1 ertility Rate 	(under 2,500 gm) Births Percent 22 5.3 * . 1 2.4 2 11.8 * . * . * . Low Birthweight (under 2,500 gm)	 1st Tr Births	ri mester Percent 84 . 63 71	2nd Trimester Births Percent 56 14  * 13 32 3 18  * * * * * * * * * * * * * * * * * *	Other/Births 11 * 2 2 * * * * Usit Other/	Percent 3 . 5 12
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17	4  Fe Bi rths 0 8	1 ertility Rate  9	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8 * * * Low Birthweight (under 2,500 gm) Births Percent .		ri mester Percent 84 . 63 71	2nd Trimester Births Percent 56 14  * . 13 32 3 18  * . * .  ter of First Prenata 2nd Trimester Births Percent	Other/Births 11 * 2 2 * * * I Visit Other/Births	Percent 3 . 5 12
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19	4  Fe Bi rths 0 8 27	1 ertility Rate  9	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8 * * * Low Birthweight (under 2,500 gm) Births Percent .	1st Tr Births 7 16	ri mester Percent 84 . 63 71	2nd Trimester Births Percent 56 14  * . 13 32 3 18  * . * .  ter of First Prenata 2nd Trimester Births Percent . 8 30	Other/Births 11 * 2 2 * * *	Percent 3 . 5 12
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	4  Fe Bi rths 0 8 27 116	1 ertility Rate  9	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8 * * * Low Birthweight (under 2,500 gm) Births Percent .	1st Tr Bi rths 7 16 88	ri mester Percent 84 . 63 71	2nd Trimester Births Percent 56 14  * . 13 32 3 18  * . * .  ter of First Prenata 2nd Trimester Births Percent 8 30 21 18	Other/Births 11 * 2 2 * * * I Visit Other/Births 1 3 7	Percent 3 . 5 12
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	4  Fe Bi rths 0 8 27 116 139	1 ertility Rate  9	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8 * * * Low Birthweight (under 2,500 gm) Births Percent .	1st Tr Bi rths 7 16 88 120	ri mester Percent 84 . 63 71	2nd Trimester Births Percent 56 14  * . 13 32 3 18  * . * .  ter of First Prenata 2nd Trimester Births Percent	Other/Births 11 * 2 2 * * *	Percent 3 . 5 12
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	4  Fe Bi rths 0 8 27 116	1 	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8 * * * * Low Birthweight (under 2,500 gm) Births Percent 2 7.4 7 6.0 3 2.2 10 7.6 1 2.2	1st Tr Bi rths 7 16 88 120 117	ri mester Percent 84 . 63 71	2nd Trimester Births Percent 56 14  * . 13 32 3 18  * . * .  ter of First Prenata 2nd Trimester Births Percent 8 30 21 18	Other/Births 11 * 2 2 * * * I Visit Other/Births 1 3 7	Percent 3 . 5 12
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	4 Fe Bi rths 0 8 27 116 139 131	1 ertility Rate  9	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8 * * * * Low Birthweight (under 2,500 gm) Births Percent 2 7.4 7 6.0 3 2.2 10 7.6 1 2.2 2 18.2	1st Tr Bi rths 7 16 88 120 117 32 8	ri mester Percent 84 . 63 71	2nd Trimester Births Percent 56 14  * . 13 32 3 18  * .  ter of First Prenata 2nd Trimester Births Percent	Other/Births 11 * 2 2 * * I Visit Other/Births 1 3 7 4 1	Percent 3 . 5 12
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	4 Fe Bi rths 0 8 27 116 139 131 46	1 	(under 2,500 gm) Births Percent 22 5.3 * 1 2.4 2 11.8 * * * * Low Birthweight (under 2,500 gm) Births Percent 2 7.4 7 6.0 3 2.2 10 7.6 1 2.2	1st Tr Bi rths 7 16 88 120 117 32	ri mester Percent 84 . 63 71	2nd Trimester Births Percent 56 14  * . 13 32 3 18  * . * .  ter of First Prenata 2nd Trimester Births Percent	Other/Births 11 * 2 2 * * I Visit Other/Births 1 3 7 4 1	Percent 3 . 5 12

MORBI DI TY			MOI	RTALLTY		
REPORTED CASES OF SELECTED DI SEASES*	Note: Death rates ( neonatal, and Perinatal and	(except in Dostneon Difetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than	Infant, ve births. hs plus	
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Smeasl es Meni ngi tis, Aseptic Meni ngi tis, Bacterial Mumps Pertussis Sal monel Losis	TOTAL DEATHS Crude Death Ra  Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	Deaths . 1 3 7 25 43 64 131 169	Rate	Sel ected Underlying Cause Heart Di sease (total) I schemic heart di sea Cancer (total) Trachea/Bronchus/Lur Col orectal Femal e Breast Cerebrovascul ar Di sea Lower Resp. Di sease Pneumoni a & Influenza Acci dents Motor vehicle Di abetes	15e 99 106 10g 32 6 10 15e 27 20 1 11 18	Rate 313 239 256 77
Shi gel I osi s 0 Tubercul osi s <5	Infant		10, 503	Di abetes Infect./Parasitic Dis Suicide	s. 8 7	
* 2003 provisional data.  ** Includes all positive HBsAg test results.	Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 2 2	Rate	* Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	SE AS UNDERLY	
Sexually Transmitted Disease Chlamydia Trachomatis 69 Genital Herpes 7 Gonorrhea 8 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown		: :	Al cohol Other Drugs Both Mentioned * Includes tobacco us MOTOR VEHIO Note: These data are	se (see page CLE CRASHES -	7). 
Children in Grades K-12 by Compliance Level Compliant 6,742 Non-compliant 60 Percent Compliant 99.1	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown  Perinatal Mortality Total Perinatal	Deaths	Rate	of crash, not  Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation	on residence Persons Pe Injured K 506 91	rsons illed 9 2 1 0
	Neonatal Fetal	. 2		For OWI For Speeding Motorcyclist Bicyclist Pedestrian	21 5 3	0 1 0

				2003 HOSP	TALIZATIONS					
	Per Av	/erage		Charge	I		Per	Average		Charge
DI SEASE /	1, 000	Stay	Average		DLSFASE /		1, 000	Stay	Average	
AGE GROUP Number		(Days)			DI SEASE / AGE GROUP	Number		(Days)	Charge	Capi ta
7 TOE GROOT TRAINEST	i op (	(Days)	orial go	oupi tu	TIGE GROOT	rvamber	i op	(bays)	orial go	oupi tu
Injury-Related: All				Al cohol -Rel ated						
Total 368	8. 9	4. 9	\$17, 673	\$157	Total	109	2. 6	3. 3	\$4, 436	\$12
<18 34	3. 4	5. 2	\$20, 399	\$137 \$70	18-44	82	5. 7	3. 0	\$4, 430 \$3, 251	\$12 \$19
	3. 4 4. /	5. 2 4. 8	\$20, 399 ¢10, 040	\$70 \$92	45-64	82 25	2. 4		\$3, Z31	\$19 ¢20
18-44 66	4. 6	4.8	\$19, 849				2. 4	4. 7	\$8, 271	\$20
45-64 82	7. 9		\$17,668	\$139	Pneumonia and I				40.000	40.
65+ 186	27. 0	5. 0	\$16, 406	\$443	Total	122	2. 9	4. 2	\$8, 800	\$26
I III ui y. nip riactule				_	<18	19		•		
Total 59	1. 4		\$15, 630	\$22	45-64	20	1. 9	4. 7		\$22
65+ 55	8. 0	5. 5	\$15, 765	\$126	65+	74	10.8	4. 4	\$8, 483	\$91
I nj ury: Poi soni ngs					Cerebrovascul ar	<sup>-</sup> Di sease				
Total 25	0. 6	2. 2	\$6, 028	\$4	Total	142	3. 4	4.4	\$14, 451	\$49
18-44 12					45-64	22	2. 1		\$17, 977	\$38
	-	-		•	65+	113	16. 4	4.3	\$12, 721	\$209
Psychi atri c					Chronic Obstruc	rtive Pulm	onary D	i sease	+ ,	4207
Total 215	5. 2	6. 2	\$5, 778	\$30	Total	81	2.0	3. 3	\$6, 623	\$13
<18 85	8. 6	6. 5	\$6, 020	\$52	Total <18 18-44 45-64 65+ Drug-Rel ated	10			Ψ0, 023	
18-44 80	5. 6	6. 3	\$5, 368	\$30	10 11	8	•	•	•	•
45-64 35	3. 4	5. 5		\$30 \$16	10-44	11			•	•
			\$4, 766		45-04	11 52	7.	3. 7	Φ7 (O1	ФГ <b>7</b>
65+ 15			•	•	00+	52	7. 6	3. /	\$7, 601	\$57
									47 (70	**
Coronary Heart Disease					Total	23	0.6	8. 0	\$7, 673	\$4
Total 245	5. 9		\$20, 748	\$123	18-44	12		•	•	
45-64 81	7. 8		\$25, 026	\$195						
65+ 158	23. 0	3. 1	\$18, 767	\$431	Total Hospitali	zati ons				
					Total <sup>·</sup>	4, 543	109. 5	4. 0		\$1, 201
Malignant Neoplasms (Ca	ancers): A	411			<18	806	81. 4	3. 5	\$5, 628	\$458
Total 174	4. Ź	6.6	\$20, 740	\$87	18-44	1, 079	75. 4	3. 3	\$7,603	\$573
10 // 11					45-64	873	84. 1	4. 2	\$14, 962	\$1, 258
45-64 68 65+ 89	6. 5	5.6	\$17, 569	\$115	65+	1, 785	259. 4	4. 5	\$13, 453	\$3, 490
65+ 89	12. 9	7 5	\$22, 417	\$290		.,		0	4.07.00	+0/ ./0
Neoplasms: Female Bre		es for	female no	nulation)	PF	PEVENTARI E	HOSPI T	ΔΙΙΖΔΤΙ	NS*	
Total 8					Total	519	12. 5	3. 7	\$7, 990	\$100
Neoplasms: Colo-recta		•	•	•		61	6. 2	2. 6	\$4, 547	\$28
Total 28	0. 7	0 1	\$28, 081	\$19	10 11	49	3. 4	3. 2	\$4, 34 <i>7</i> \$7, 229	\$26 \$25
	0. <i>7</i> 3. 5				18-44 45-64		ა. 4 ი ი			
65+ 24	ა. 5	9.6	\$29, 595	\$103	45-64	85	8. 2	4. 1	\$10, 509	\$86
Neoplasms: Lung					65+	324	47. 1	3. 8	\$8, 092	\$381
Total 19		•		•						
					l					
Di abetes	_	_			* Hospitalizations	s for cond	itions	where ti	imely and	effecti ve
Total 45	1. 1	5. 5	\$15, 002	\$16	ambulatory care ca	an reduce	the lik	el i hood	of hospi	tal i zati on.
65+ 17									-	